



# Message-Passing Thought Exercise

Traffic Modelling

---

David Henty  
EPCC

[d.henty@epcc.ed.ac.uk](mailto:d.henty@epcc.ed.ac.uk)

+44 131 650 5960

- we want to predict traffic flow
  - to look for effects such as congestion
- build a computer model



- divide road into a series of cells
  - either occupied or unoccupied
- perform a number of steps
  - each step, cars move forward if space ahead is empty




**could do this by moving  
pawns on a chess board**


- model predicts a number of interesting features
- traffic lights



- congestion
- more complicated models are used in practice



- Update rules depend on:
  - state of cell
  - state of nearest neighbours in both directions



- If  $R^t(i) = 0$ , then  $R^{t+1}(i)$  is given by:

–	$R^t(i-1) = 0$	$R^t(i-1) = 1$
– $R^t(i+1) = 0$	0	1
– $R^t(i+1) = 1$	0	1

- If  $R^t(i) = 1$ , then  $R^{t+1}(i)$  is given by:


–	$R^t(i-1) = 0$	$R^t(i-1) = 1$
– $R^t(i+1) = 0$	0	0
– $R^t(i+1) = 1$	1	1

# how fast can we run the model?

- measure speed in Car Operations Per second
  - how many COPs?
- around 2 COPs
- but what about three people?
  - can they do six COPs?



# Parallel Traffic Modeling



```
declare arrays old(i) and new(i), i = 0,1,...,N,N+1
initialise old(i) for i = 1,2,...,N-1,N (eg randomly)
loop over iterations
    set old(0) = old(N) and set old(N+1) = old(1)
    loop over i = 1,...,N
        if old(i) = 1
            if old(i+1) = 1 then new(i) = 1 else new(i) = 0
        if old(i) = 0
            if old(i-1) = 1 then new(i) = 1 else new(i) = 0
    end loop over i
    set old(i) = new(i) for i = 1,2,...,N-1,N
end loop over iterations
```